

## 15 Liters SUS304 360W Bench Top Ultrasonic Cleaner

Our Product Introduction

for more products please visit us on [skymenultrasonic.com](http://skymenultrasonic.com)

### Basic Information

- Place of Origin: China
- Brand Name: SkyMen
- Certification: CE ROHS FCC SGS
- Model Number: JP-060
- Minimum Order Quantity: 1 unit
- Price: Negotiation
- Packaging Details: 1 unit per carton
- Delivery Time: In Stock
- Supply Ability: 8000 pcs per month



### Product Specification

- Model: JP-060
- Capacity: 15L
- Tank Size: 330\*300\*150mm
- Unit Size: 400\*350\*280mm
- Paking Size: 465\*410\*360mm
- Transduces: 6pcs
- Ultrasonic Power: 360W
- Timer: 0-30 Minutes Adjustable
- Frequency: 40KHz
- Material: SUS304
- G.W: 10.3KG
- Power Supply: AC 110V ; AC 220V
- Heating Power: 300W
- Highlight: SUS304 Bench Top Ultrasonic Cleaner, 360W Bench Top Ultrasonic Cleaner, 15 Liters Adjustable Ultrasonic Cleaner



### More Images



## Product Description

### Knob 15L mechanical Ultrasonic Cleaner for PCB auto parts with timer and heater sus304 tank

#### Features:

More convenient for operation

Stainless steel tank has resistance to wear and long work life.

Tank capacity: 15L

With Stainless steel basket

Use just tap water, or industrial solvent cleaner for more higher cleaning requirement


Industrial control chip microcontroller.flexible circuit boards control, more secure & stable

#### JP-060 product specification:

Ultrasonic frequency	40,000Hz
Material of tank	SUS304
Material of shell	SUS304
Capacity	15L
Timer	0~30 mins
Heater	300W
Power supply type 1	AC 100~120V, 50/60Hz
Power supply type 2	AC 220~240V, 50/60Hz
Ultrasonic power	360W
Tank inner dimension	330*300*150mm
Unit dimension	400*350*280mm
Inner Packing size	465*410*360mm
Transducers	6pcs
N.W.	9.1kg
G.W.	10.3kg
Certificate	ISO9001:2008 & CE & RoHS

Medical and surgical instruments in a variety of sizes and complexity can pose challenges when it comes to cleaning, disinfecting and sterilizing them after use. An ultrasonic cleaner is an ideal tool for the first step in this three step process to protect medical personnel and patients from possible infection due to pathogens that remain on the instruments after a procedure.

#### Size:



**Product details:**

## PRODUCT DETAIL

SKYMEN specialize in ultrasonic cleaners manufacturing since 2007, Professional team, quality assurance



1

### Cooling vents

Quickly cool the internal components of the machine, protecting the circuit board.

2

### Insulation handle

Insulation handle design, anti-static, anti-high temperature, not slippery hand, more secure.



3

### Double insurance

Independent switch operation safety, built-in spare fuse, double insurance.

4

### SUS304 tank

Thickness 1.1mm, heat-resisting and corrosion-resisting, safety and health



5

### Non-slip pad

Non-slip anti-shock pad, place all surfaces without sliding

**Package Includes:**  
1 x Digital Ultrasonic Cleaner

1 x Cleaning Bath  
1 x Manual

## PRODUCT PACKAGING


- ✓ Cleaning bath
- ✓ Cleaning basket
- ✓ Instruction manual
- ✓ Power cord



Cleaning effect:

# CLEANING EFFECT

Better cleaning when cleaning with detergent



## 1.Warranty:

12 months warranty for Skymer ultrasonic cleaner.

If any technical problem during warranty time, replacement parts will be sent free of charge.

Technical support is also available in whole time.

## 2.After-sales

Our machines undergo an extensive and strict testing and quality control procedure, ensuring every item purchased meet global quality standards.

### ◆Payment Methods◆

These payments of T/T,Western Union,Paypal are accepted. If you have any problem with the payment, please leave a message to us.

### ◆Logistics◆

DHL, EMS and Fedex are our choices. If you prefer other reliable shipping company, please leave a message to us.

### ◆Tracking Number◆

Tracking number will be informed within 2-3 work days after delivery goods. If you have any problem with it, please leave a message to us.

### ◆Feedback◆

Any comments, suggestions are accepted. We will be very grateful to your positive footprints left in our company. If you have any problem with our products, please leave a message to us.

### ◆Refund◆

Any damage or shortage of our goods after you receive your items, please take some photos for a witness. We will deal with it in 24 hours.

Frequently, we will send a new part of items for heavy-damage. Before refund is accepted, please leave a message to us.

**Please choose the size fits for you, or contact for professional suggestions:**



## Mechanical Version Product Parameters

Model							
	020S	030S	031S	040S	060S	080S	100S
Capacity (L)	3.2L	4.5L	6.5L	10L	15L	22L	30L
Tank Size (mm)	240*135*100	300*150*100	300*150*150	300*240*150	330*300*150	500*300*150	500*300*200
Overall Size (mm)	270*185*230	330*200*235	375*200*275	380*290*280	400*350*280	585*330*280	585*327*333
Ultrasonic Power	120W	180W	180W	240W	360W	480W	600W
Heating Power	100W	200W	200W	200W	300W	500W	500W
Transducer Quantity	2pcs	3pcs	3pcs	4pcs	6pcs	8pcs	10pcs
Time Setting	0-30min	0-30min	0-30min	0-30min	0-30min	0-30min	0-30min
Temperature Setting	up to 80°C	up to 80°C	up to 80°C	up to 80°C	up to 80°C	up to 80°C	up to 80°C
With Drainage Tap	NO	NO	YES	YES	YES	YES	YES
With Cleaning Basket	YES	YES	YES	YES	YES	YES	YES
Tank Materials	SUS304	SUS304	SUS304	SUS304	SUS304	SUS304	SUS304



**SkyMen Technology Corporation Limited**



86-755-27094405



info@skymen.cc



skymenultrasonic.com

Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an District, Shenzhen